

## **Historic, Archive Document**


Do not assume content reflects current scientific knowledge, policies, or practices.



62.57  
The Bellevue Nursery

1900--01

TRADE-LIST OF  
AMERICAN



# Plants and Shrubs



HIBISCUS CRIMSON EYE

COLLECTED AND GROWN BY

WM. F. BASSETT & SON

Hammonton & New Jersey, U. S. A.



# Terms and Remarks

---

**Our Terms** are net cash, and are for the quantities named, except that 6, 50, and 500 will be furnished at the doz., hundred and thousand rates respectively. Parties not known by us to be responsible and reliable will be expected to send cash with order or good references.

**Shipping Facilities.** Our nurseries are within thirty miles of Philadelphia (two railroads) and 100 miles from New York, and freight rates very low.

**Mailing Plants.** Small orders will be filled by mail, when so requested, where the size of the plants will permit; but postage will be added to all bills so forwarded.

**Collected Plants.** This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware and Maryland, and we also have arrangements with special collectors in the New England and other States. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" *pulled up* by irresponsible parties at so much per thousand. We aim to get the very best plants obtainable, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility farther than to ship them in good order.

**Transplanted Stock.** To meet the wants of an increasing list of customers, we have, for several years, been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds and growing them under culture for one or more years.

**Packing** is done in the most thorough manner, for which no extra charge is made except a few items where the size is out of proportion to the price.

---

## To Our European Friends

---

We have a good list of European Customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that fall orders are much more desirable as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

# *Novelties and Specialties*

---

## *Amelanchier rotundifolium*

We have found this so much superior to *Amelanchier Canadensis* in every respect that we unhesitatingly recommend it. Its style of growth is more compact, the foliage is more dense, and of a richer darker green, and the strain we offer produces, in great abundance, berries which are much larger, less seedy, and of better flavor than any other June Berry. For cooking, when used with pie cherries, equal quantities of each, they make better pies and puddings than cherries alone.

---

## *Pyrus Brilliantissima*

It is not necessary to say to those who are familiar with the common *Pyrus arbutifolia* that the fruit varies in color from red to almost black, and that the greater portion, even of those which are light red when first ripening, turn quite dark and dull later in the season. Our *Brilliantissima* has been propagated from a few plants we found which produced bright scarlet berries and retain their bright color all through the season. This is so decidedly superior to the ordinary form that the little difference in first cost is not worth considering.

---

## *Hibiscus Crimson Eye*

This, the finest of all the hardy *Hibiscus*, was introduced by us and has been steadily gaining in popularity, and our sales of it increase largely every year. We also introduced the *Rose Pink Hibiscus*, and we are among the very few who offer *Hibiscus militaris* both fine varieties.

---

Special attention is called to our stock of large and fine plants of *Andromeda Arborea*, *Chionanthus Virginica*, *Cornus cericea*, *Cornus stolonifera*, *Myrica cerifera*, *Lonicera Halleana*, *Spiraea tomentosa*, and *Spiraea tomentosa alba*, and to the very low price of our *Symphoricarpus vulgaris*.

---

## *Plants not in this list*

There are many native plants not included in this list, which we can collect if desired. We can collect nine varieties of *Eupatorium*, twenty varieties of *Aster*, eighteen varieties of *Solidago*, and many others.

## GENERAL LIST OF HARDY PERENNIALS.

	Per doz.	100	1,000
Achillea, The Pearl . . . . .	\$0 40	\$2 50	\$20 00
“ millefolium roseum . . . . .	50	3 00	25 00
“ tomentosa, . . . . .	60	4 00	
Aster patens, collected . . . . .	50	2 00	15 00
“ concolor, collected . . . . .	75	4 00	35 00
“ spectabilis, collected . . . . .	50	2 50	20 00
“ nemoralis, collected . . . . .	80	5	
“ linariifolius, collected . . . . .	50	1 50	12 00
“ tradescantii, collected . . . . .	40	2 50	20 00
“ longifolius, collected . . . . .	75	5 00	
“ Novae Anglae . . . . .	75	3 50	
“ Tartaricus . . . . .	75	3 00	
“ puniceus . . . . .	75	3 00	
Apios tuberosa . . . . .	30	1 00	8 00
Arenaria squarrosa, collected . . . . .	80	3 00	25 00
Anemone nemorosa, collected . . . . .	75	3 00	
Anemonella thalictroides, collected . . . . .	60	3 00	
Aquilegia Canadensis, . . . . .	75		
“ “ collected . . . . .	50	2 50	20 00
“ cerulea hybrida . . . . .	75	4 00	
Asarum Canadense . . . . .	60	4 00	
Aletris farinosa, collected . . . . .	50	1 80	12 00
Asclepias tuberosa, collected . . . . .	1 00	6 00	40 00
“ obtusifolia, collected . . . . .	80		
“ incarnata, collected . . . . .	50	2 50	20 00
“ “ pulchra collected . . . . .	50	2 50	20 00
Arisaema triphyllum, collected . . . . .	50	2 00	15 00
“ dracontium, collected . . . . .	80	4 00	
Acorus calamus, collected . . . . .	50	1 50	10 00
Aspidium marginale, collected . . . . .	50	2 00	10 00
“ thelypteris, collected . . . . .	50	2 00	10 00
“ novaboracensis, collected . . . . .	50	2 00	10 00
“ acrostichoides, collected . . . . .	50	2 00	10 00
“ cristatum, collected . . . . .	80	4 00	
“ spinulosum, collected . . . . .	75	3 00	25 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Aspidium goldianum</i> . . . . .	I 25		
“ <i>aculeatum</i> var. <i>Braunii</i> . . . . .	I 25		
<i>Asplenium ebeneum</i> , collected . . . . .	50	2 00	15 00
“ <i>trichomanes</i> , collected . . . . .	75	3 00	
<i>Adiantum pedatum</i> , collected . . . . .	75	3 00	25 00
<i>Andropogon macrourus</i> , collected . . . . .	50	2 00	15 00
<i>Aralia hispida</i> . . . . .	75		
<i>Breweria Pickeringii</i> , collected . . . . .	I 00	6 00	
<i>Baptisia tinctoria</i> , collected . . . . .	I 00	3 00	
<i>Brasenia peltata</i> , collected . . . . .	50	2 00	15 00
<i>Botrychium Virginicum</i> , collected . . . . .	80	4 00	
<i>Boltonia latisquamæ</i> . . . . .	75	3 50	
“ <i>asteroides</i> . . . . .	75	4 50	
“ <i>glastifolia</i> . . . . .	I 00		
<i>Coreopsis lanceolata</i> . . . . .	50	2 00	15 00
“ <i>grand.</i> (Harvest Moon) . . . . .	75	5 00	
“ <i>Auriculata</i> . . . . .	50	2 00	15 00
<i>Callirhoe involucrata</i> . . . . .	75	4 00	
<i>Chrysopsis Mariana</i> , collected . . . . .	50	2 50	15 00
“ <i>falcata</i> , collected . . . . .	50	3 00	10 00
<i>Clintonia borealis</i> , collected . . . . .	60	3 00	
<i>Calopogon pulchellus</i> , collected . . . . .	60	4 00	
<i>Cypripedium acaule</i> , collected . . . . .	75	4 00	
“ <i>spectabile</i> . . . . .	I 75	10 00	
“ <i>pubescens</i> , collected . . . . .	I 25	8 00	
<i>Cunilla Mariana</i> , collected . . . . .	60	3 00	
<i>Calystegia pubescens</i> , fl. pl. . . . .	50	1 50	
<i>Chelone glabra</i> , collected, . . . . .	50	3 00	
<i>Chimaphlla maculata</i> , collected . . . . .	60	3 00	
“ <i>umbellata</i> , collected . . . . .	75	4 00	
<i>Caltha palustris</i> , collected . . . . .	60	3 00	25 00
<i>Calla palustris</i> , collected . . . . .	75	4 00	
<i>Cimicifuga racemosa</i> , collected . . . . .	60	3 00	20 00
<i>Claytonia, Virginica</i> , collected . . . . .	60	2 00	15 00
<i>Cassia Marylandica</i> , very heavy . . . . .	75	3 00	
“ “ 2 year . . . . .	60	2 00	15 00
<i>Calamagrostis brevipilis</i> , collected . . . . .	60	3 00	
<i>Calamagrostis nuttalliana</i> , collected . . . . .	I 00	6 00	
<i>Centrosema Virginica</i> (root cuttings) . . . . .		80	7 50
<i>Camptosorus rhizophyllus</i> , collected . . . . .	60	2 50	
<i>Dioscorea villosa</i> , collected . . . . .	I 00		
<i>Dracocephalum Virginicum</i> . . . . .	50	2 00	10 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Dicentra cucullaria</i> , collected . . . . .	60	2 00	15 00
“ <i>Canadensis</i> , collected . . . . .	75	2 50	15 00
<i>Drosera filiformis</i> , collected . . . . .	60	1 50	10 00
“ <i>intermedia</i> , collected . . . . .	60	3 00	
<i>Dentaria laciniata</i> , collected . . . . .	60	3 00	
<i>Dicksonia pilosiuscula</i> . . . . .	60	2 00	10 00
<i>Eriocaulon gnaphalodes</i> , collected . . . . .	50	1 50	
“ <i>decangulare</i> , collected . . . . .	60	2 00	
<i>Erythronium Americanum</i> , collected . . . . .	60	2 50	15 00
<i>Euphorbia corollata</i> . . . . .	60	3 00	20 00
“ <i>ipecacuanhæ</i> , collected . . . . .	50	2 00	15 00
<i>Elodes Virginica</i> , collected . . . . .	60	3 00	15 00
<i>Epilobium angustifolium</i> , collected . . . . .	60	3 00	
<i>Eupatorium aromaticum</i> , collected . . . . .	80	4 00	
“ <i>ageratoides</i> , collected . . . . .	75	3 00	20 00
“ <i>purpureum</i> , collected . . . . .	60	2 00	18 00
<i>Eriophorum Virginicum</i> , collected . . . . .	75	5 00	
<i>Eryngium Virginicum</i> , collected . . . . .	75	3 00	25 00
“ <i>planum</i> . . . . .	1 00		
“ <i>amethystinum</i> . . . . .	1 00		
<i>Erianthus alopecuroides</i> , collected . . . . .	60	3 00	25 00
<i>Eulalia gracillima</i> . . . . .	50	2 00	18 00
“ <i>Japonica zebrina</i> . . . . .	60	2 50	18 00
<i>Funkia lancifolia</i> . . . . .	60	3 00	
“ <i>subcordata</i> . . . . .	1 00		
“ <i>Thos. Hogg</i> . . . . .	1 25	8 00	
<i>Galactea, glabella</i> , collected . . . . .	80	5 00	
<i>Gillenia trifoliata</i> , collected . . . . .	75	3 00	25 00
<i>Gentiana Andrewsii</i> , collected . . . . .	1 50	6 00	
“ <i>Saponaria</i> , collected . . . . .	1 25	6 00	
“ <i>Angustifolia</i> , collected . . . . .	1 50	7 50	
<i>Gerardia flava</i> , collected . . . . .	60	3 00	
“ <i>quercifolia</i> , collected . . . . .	2 50		
<i>Geranium maculatum</i> , collected . . . . .	60	2 50	
“ <i>sanguineum</i> . . . . .	1 00	5 00	
<i>Gratiola aurea</i> , collected . . . . .	60	3 00	
<i>Goodyera pubescens</i> . . . . .	1 25	5 00	
<i>Houstonia cœrulea</i> , collected . . . . .	50	2 00	
<i>Helianthus divaricatus</i> , collected . . . . .	60	2 00	15 00
“ <i>angustifolius</i> , collected . . . . .	60	3 00	20 00
“ <i>orgyalis</i> . . . . .	50	3 50	25 00
“ <i>lætiflorus</i> . . . . .	50	2 00	10 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Helianthus giganteus</i> . . . . .	60	3 00	
“ <i>Maximilianii</i> . . . . .	80	5 00	
“ <i>mollis</i> . . . . .	75		
“ <i>strumosus</i> . . . . .	50	3 00	
“ <i>decapetalus</i> . . . . .	75		
<i>Hypericum angulosum</i> , collected . . . . .	60	3 00	
<i>Helenium autumnale</i> , collected . . . . .	60	2 00	15 00
“ <i>grandicephalum striatum</i> . . . . .	75	4 00	35 00
“ <i>autumnale superbum</i> . . . . .	60	3 50	30 00
“ <i>pumilum</i> . . . . .	1 50		
“ <i>Boulanderi</i> . . . . .	1 00		
<i>Hibiscus moscheutos</i> . . . . .	60	3 00	20 00
“ “ <i>Crimson Eye</i> . . . . .	60	2 50	18 00
“ “ <i>Rose Pink</i> . . . . .	60	3 00	20 00
“ “ <i>Militaris</i> . . . . .	80	5 00	
<i>Hepatica triloba</i> , collected . . . . .	60	3 00	20 00
“ <i>acutiloba</i> , collected . . . . .	60	3 00	20 00
<i>Helonias bullata</i> , collected . . . . .	85	4 00	30 00
<i>Habenaria ciliaris</i> , collected . . . . .	75	5 00	
“ <i>blephariglottis</i> , collected . . . . .	70	4 00	
<i>Hemerocallis fulva</i> . . . . .	60	2 00	15 00
“ <i>flava</i> . . . . .	75	4 00	
“ <i>Dumortieri</i> . . . . .	75	4 00	
“ <i>Thunbergii</i> . . . . .	80	5 00	
<i>Heuchera Americana</i> , collected . . . . .	50	2 00	15 00
<i>Heliopsis Pitcheriana</i> . . . . .	1 00		
<i>Ipomea pandurata</i> , collected . . . . .	1 00	6 00	
<i>Iris prismatica</i> , collected . . . . .	60	2 00	15 00
“ <i>versicolor</i> , collected . . . . .	60	1 50	12 00
“ <i>Germanica</i> . . . . .	60	1 50	12 00
“ <i>pumila</i> . . . . .	75	2 50	
<i>Iberis sempervirens</i> . . . . .	75	4 00	
“ “ <i>suberba</i> . . . . .	1 50		
<i>Kosteletzkia Virginica</i> , 1 year . . . . .	75	5 00	
“ “ 2 year . . . . .	1 00		
<i>Lobelia cardinalis</i> , collected . . . . .	75	2 50	15 00
“ <i>syphilitica</i> , collected . . . . .	1 00	3 00	
<i>Liatris graminifolia</i> , collected . . . . .	50	2 00	15 00
“ <i>spicata</i> . . . . .	75	2 50	
“ <i>punctata</i> . . . . .	75		
“ <i>scariosa</i> . . . . .	75		
<i>Lythrum salicaria superba</i> . . . . .	1 00	5 00	45 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Lysimachia clethroides</i> . . . . .	60	4 00	
“ <i>nummularia</i> . . . . .	60	2 00	
“ <i>punctata</i> . . . . .	60	3 00	
“ <i>ciliata</i> . . . . .	60	3 00	
“ <i>quadrifolia</i> , collected . . . . .	60	2 50	
“ <i>stricta</i> , collected . . . . .	60	2 00	
<i>Lymnanthemum lacunosum</i> , collected . . . . .	1 00	6 00	
<i>Lophiola aurea</i> , collected . . . . .	60	3 00	25 00
<i>Ludwigia hirtella</i> , collected . . . . .	1 25		
<i>Lupinus perennis</i> . . . . .	75	4 00	
<i>Liparis liliifolia</i> . . . . .	1 50	8 00	
<i>Lilium superbum</i> , collected . . . . .	75	3 50	30 00
“ <i>Philadelphicum</i> , collected . . . . .	1 00	6 00	
<i>Mitchella repens</i> , collected . . . . .	50	1 50	12 00
<i>Mikania, scandens</i> , collected . . . . .	1 00	5 00	
<i>Mertensia Virginica</i> , collected . . . . .	75	3 50	25 00
<i>Nymphæa odorata</i> , collected . . . . .	75	3 00	
“ “ <i>minor</i> , collected . . . . .	75	3 00	
<i>Nuphar advena</i> , collected . . . . .	1 00	6 00	
<i>Nepeta glechoma</i> . . . . .	50	2 00	
<i>Nesaea verticillata</i> , collected . . . . .	1 00	5 00	
<i>Narthecium Americanum</i> , collected . . . . .	1 00	5 00	
<i>Oxalis violacea</i> , collected . . . . .	60	3 00	
<i>Ornithogalum umbellatum</i> . . . . .	40	1 50	10 00
<i>Orontium aquaticum</i> , collected . . . . .	90	6 00	45 00
<i>Opuntia Rafinesquii</i> , collected . . . . .	60	2 00	15 00
<i>Ceanothera fruticosa</i> , collected . . . . .	60	2 00	18 00
“ <i>Youngii</i> . . . . .	75	3 00	
<i>Onoclea sensibilis</i> , collected . . . . .	60	2 00	10 00
“ <i>struthiopteris</i> , collected . . . . .	70	4 00	
<i>Osmunda regalis</i> , collected . . . . .	1 00	6 00	50 00
“ <i>cinnamomea</i> , collected . . . . .	1 00	6 00	50 00
“ <i>Claytoniana</i> , collected . . . . .	85	4 00	
<i>Podophyllum peltatum</i> , collected . . . . .	60	2 00	15 00
<i>Pyrola elliptica</i> , collected . . . . .	60	2 00	
“ <i>rotundifolia</i> , collected . . . . .	60	3 00	
“ <i>chlorantha</i> , collected . . . . .	60	2 00	
“ <i>secunda</i> , collected . . . . .	2 50	6 00	
<i>Pyxidanthera barbulate</i> , collected . . . . .	75	3 00	25 00
<i>Phlox maculata</i> . . . . .	75	3 50	
“ <i>divaricata</i> . . . . .	75	3 00	25 00
“ <i>subulata</i> . . . . .	60	2 50	

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
Phlox subulata alba . . . . .	60	2 50	
Pogonia ophioglossoides, collected . . . . .	75	3 00	
Pardanthus Chinensis . . . . .	50	2 00	15 00
Pontederia cordata, collected . . . . .	75	4 00	30 00
Peltandra Virginica, collected . . . . .	I 50	8 00	60 00
Penstemon barbatus Torreyi . . . . .	75	4 50	
" pubescens . . . . .	60	2 50	20 00
" digitalis . . . . .	I 00	6 00	
Plumbago larpentæ . . . . .	60	4 00	35 00
Panicum virgatum, collected . . . . .	60	2 00	15 00
Phragmites communis, collected . . . . .	I 00	6 00	40 00
Phegopteris hexagonoptera, collected . . . . .	60	3 00	
" dryopteris . . . . .	60		
" polypodioides . . . . .	60		
Polypodium vulgare, collected . . . . .	60	2 00	10 00
Pteris aquilina, collected . . . . .	60	2 00	10 00
Rudbeckia hirta, collected . . . . .	60	2 50	20 00
" laciniata . . . . .	60	3 00	25 00
" " fl. pl. (Golden Glow) . . . . .	50	3 50	20 00
" nitida . . . . .	60	3 00	25 00
" speciosa . . . . .	80	5 00	
" fulgida . . . . .	80	5 00	
Solidago Canadensis, collected . . . . .	60	2 50	
" tenuifolia collected . . . . .	50	2 00	15 00
" odora, collected . . . . .	50	2 00	15 00
" sempervirens . . . . .	60	2 50	20 00
" virgata, collected . . . . .	75	3 00	25 00
" puberula, collected . . . . .	60	2 50	
" altissimum, collected . . . . .	60	2 50	
" nemoralis, collected . . . . .	60	2 00	15 00
" cæsia, collected . . . . .	50		
" juncea, collected . . . . .	50		
" lanceolata, collected . . . . .	50	2 00	15 00
Sedum acre . . . . .	60	2 00	15 00
" ternatum, collected . . . . .	60	2 00	15 00
" spectabile . . . . .	I 00	5 00	
Sarracenia purpurea, collected . . . . .	50	2 00	15 00
Silene Pennsylvanica . . . . .	75	5 00	
" stellata, collected . . . . .	60	3 00	
Sclerolepis verticillata, collected . . . . .	75	4 00	
Sabbatia lanceolata, collected . . . . .	60	3 00	25 00
" chloroides, collected . . . . .	75	4 00	35 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Salvia lyrata</i> . . . . .	60	2 00	15 00
<i>Smilacina racemosa</i> , collected . . . . .	75	3 00	25 00
“ <i>bifolia</i> , collected . . . . .	75	3 00	25 00
<i>Sanguinaria Canadensis</i> . . . . .	60	2 00	18 00
<i>Scirpus Eriophorum</i> , collected . . . . .	60	3 00	
<i>Typha latifolia</i> , collected . . . . .	60	2 00	15 00
“ <i>angustifolia</i> , collected . . . . .	60	2 00	15 00
<i>Thalictrum dioicum</i> , collected . . . . .	75	3 50	30 00
“ <i>cornuti</i> , collected . . . . .	75	3 00	25 00
<i>Tradescantia Virginica</i> . . . . .	60	2 50	20 00
“ “ <i>alba</i> . . . . .	75	3 50	
“ “ <i>fl. pl.</i> . . . . .	1 00		
<i>Tephrosia Virginica</i> , collected . . . . .	60	2 00	18 00
<i>Trillium erectum</i> , collected . . . . .	60	3 00	
“ “ <i>album</i> , collected . . . . .	75	4 00	
“ <i>grandiflorum</i> , . . . . .	60	2 50	15 00
“ “ <i>roseum</i> . . . . .	75	4 00	35 00
<i>Vernonia novaboracensis</i> , collected . . . . .	75	3 50	30 00
<i>Viola pedata</i> , collected . . . . .	50	1 50	10 00
“ “ <i>bicolor</i> . . . . .	1 00	7 50	
“ <i>cucullata</i> . . . . .	50	1 50	10 00
“ <i>primulæfolia</i> , collected . . . . .	75	2 50	
“ <i>cornuti</i> . . . . .	1 00		
“ “ <i>alba</i> . . . . .	1 00		
<i>Veronica officinalis</i> . . . . .	50	2 00	18 00
“ <i>cercæoides</i> . . . . .	75	3 00	
<i>Woodwardia Virginica</i> , collected . . . . .	60	2 00	15 00
“ <i>Angustifolia</i> , collected . . . . .	60	2 50	20 00
<i>Xerophyllum asphodeloides</i> . . . . .	75		
“ “ collected . . . . .	60	2 00	15 00
<i>Xyris fimbriata</i> , collected . . . . .	1 00	4 00	
<i>Yucca filamentosa</i> . . . . .	80	3 50	30 00
“ “ seedlings 1 yr. . . . .	20	1 00	8 00

All plants in this list are nursery-grown unless otherwise specified.

## Trees, Shrubs and Woody Climbers.

	Per doz.	100	1,000
Arctostaphylos uva-ursa, collected . . . . .	60	2 00	15 00
Amelanchier Can. rotundifolium 12—18 in . . . . .	1 25	8 00	
“ “ “ 8—12 in . . . . .	1 00	5 00	
“ Canadensis, collected . . . . .	60	2 00	15 00
“ botryapium, collected . . . . .	60	3 50	30 00
Amorpha fruticosa . . . . .	60	2 00	
Acer rubrum, 4—6 ft . . . . .	1 25		
“ “ 4—5 ft., collected . . . . .	80	4 00	
“ “ 3—4 ft., collected . . . . .	75	3 00	
“ “ 2—3 ft., collected . . . . .	50	2 50	15 00
“ Pennsylvanicum, 3—4 ft . . . . .	1 25	8 00	
“ “ 2—3 ft . . . . .	1 00	6 00	
“ “ 1—2 ft . . . . .	80	4 00	
“ spicatum, 2—3 ft . . . . .	1 25	6 00	
Asimina triloba, collected . . . . .	60	3 50	30 00
Ascyrum, stans, collected . . . . .	60	2 00	
“ Crux-Andræ, collected . . . . .	60	2 00	
Ampelopsis quinquefolia, 2 year . . . . .	60	3 00	
Akebia quinata, 2 year heavy . . . . .	50	3 00	
“ “ I “ “ . . . . .	40	2 50	
Andromeda Mariana, 8—12 in . . . . .	60	3 00	
“ “ collected . . . . .	60	2 00	15 00
“ racemosa, collected . . . . .	60	2 50	20 00
“ ligustrina, collected . . . . .	60	2 50	20 00
“ calyculata, bushy . . . . .	75	3 00	
“ “ collected . . . . .	60	2 00	15 00
“ Arborea 3—4 ft. fine . . . . .	1 50	10 00	
“ “ 2—3 ft . . . . .	1 00	6 00	
“ polifolia 2 years . . . . .	75	4 00	
Azalea viscosa, 1½—2 ft., bushy, in bud . . . . .	1 00	7 50	
“ “ 12—18 in . . . . .	75	4 00	
“ “ collected . . . . .	60	3 00	25 00
“ nudiflora, 10—18 in. XX . . . . .	1 50		
“ “ collected . . . . .	60	3 00	25 00
“ calendulacea, 10—12 in., fine, well budded . . . . .	2 00	12 50	
Betula populifolia, collected . . . . .	50	1 50	10 00
“ nigra, 3—4 ft . . . . .	80		
“ “ 2—3 ft . . . . .	75	5 00	

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Betula nigra</i> , collected . . . . .	60	3 00	20 00
“ <i>lenta</i> , 4—6 ft. . . . .	1 50	10 00	
“ “ collected . . . . .	60	2 50	18 00
<i>Baccharis</i> , <i>halimifolia</i> , collected . . . . .	60	3 00	25 00
<i>Calycanthus Floridus</i> , 2—4 ft. . . . .	1 00		
<i>Corylus Americana</i> , collected . . . . .	60	3 00	20 00
“ <i>rostrata</i> , collected . . . . .	75	4 00	
<i>Carpinus Americana</i> , 1 year trans. . . . .	75	4 00	
“ “ collected . . . . .	60	3 50	30 00
<i>Cornus Florida</i> 1—2 ft. . . . .	75	4 00	
“ “ collected . . . . .	60	3 00	20 00
“ <i>sericea</i> 2½—3 ft. XX . . . . .	75	4 00	
“ “ collected . . . . .	60	2 50	20 00
“ <i>sanguinea</i> , 3—4 ft. . . . .	75		
“ <i>mas.</i> , 2—3 ft. . . . .	1 00	5 00	
“ <i>alternifolia</i> , collected . . . . .	60	3 00	25 00
“ <i>stolonifera</i> , 3—4 ft. fine . . . . .	1 00	4 00	
“ <i>paniculata</i> , 12—18 in . . . . .	75	5 00	
“ “ collected . . . . .	60	3 00	25 00
“ <i>circinata</i> , 2—3 ft. . . . .	1 25		
“ “ collected . . . . .	60	3 50	30 00
<i>Cephalanthus occidentalis</i> , 2—3 ft. strong . . . . .	80	4 00	
“ “ 1—2 ft. . . . .	60	2 50	20 00
<i>Comptonia asplenifolia</i> XX 1 year trans. . . . .	75	4 00	
“ “ collected . . . . .	50	1 50	10 00
<i>Cupressus thyoides</i> , collected . . . . .	50	1 50	8 00
<i>Chionanthus Virginica</i> , 3—4 ft. strong . . . . .	2 00	10 00	
“ “ 2—3 ft. . . . .	1 25	6 00	50 00
“ “ 1—2 ft. . . . .	75	3 50	25 00
<i>Clethra alnifolia</i> , 2—3 ft. heavy . . . . .	80	4 00	
“ “ 1—2 ft. heavy . . . . .	60	2 50	20 00
“ “ collected . . . . .	50	2 00	15 00
<i>Clematis Virginica</i> . . . . .	75	3 50	
“ “ collected . . . . .	60	2 50	18 00
<i>Celastrus scandens</i> . . . . .	75	3 00	
“ “ collected . . . . .	50	2 00	15 00
<i>Ceanothus Americanus</i> , collected . . . . .	75	4 00	
<i>Cercis Canadensis</i> , 2—3 ft. . . . .	1 00		
“ “ collected . . . . .	75	4 00	30 00
<i>Crategus</i> , <i>parvifolia</i> , heavy, 2—3 ft. . . . .	\$2 00		
“ “ collected . . . . .	60	4 00	35 00
“ <i>Crus-galli</i> , strong . . . . .	2 00		

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Diospyros Virginiana</i> , collected . . . . .	75	4 00	
<i>Diervilla trifida</i> , trans. . . . .	75	3 00	20 00
“ “ collected . . . . .	60	2 00	18 00
“ <i>sessilifolia</i> . . . . .	80		
<i>Dimorphanthus Mandshuricus</i> , 2—4 ft. . . . .	3 00		
<i>Epigæa repens</i> , col. <i>seedlings</i> , with ball . . . . .	1 00	6 00	
<i>Euonymus Americanus</i> , trans. . . . .	75	3 50	
“ “ collected . . . . .	60	2 50	20 00
“ <i>radicans</i> . . . . .	75	3 50	
“ “ <i>variegata</i> . . . . .	75		
“ <i>Europæus</i> , 3—4 ft. . . . .	1 25	4 00	
“ “ 1—2 ft. . . . .	60	2 50	
<i>Fraxinus Americanus</i> , collected . . . . .	75	3 00	25 00
<i>Forsythia Fortunei</i> , trans., 4—5 . . . . .	75	4 00	
<i>Gaylussacia frondosa</i> . . . . .	75		
“ “ collected . . . . .	60	3 00	25 00
“ <i>resinosa</i> , collected . . . . .	60	2 00	15 00
“ <i>dumosa</i> , 6—8 in. . . . .	75	3 50	
“ “ collected . . . . .	60	2 50	20 00
<i>Gaultheria procumbens</i> , collected . . . . .	40	1 50	10 00
<i>Hamamelis Virginica</i> , 3—4 ft. . . . .	1 25		
“ “ 2—3 ft. . . . .	1 00		
“ “ 6—12 in. . . . .	75	4 00	
“ “ collected . . . . .	60	3 50	30 00
<i>Hypericum densiflorum</i> , collected . . . . .	60	1 50	10 00
<i>Hydrangea arborescens</i> , 2—3, trans. . . . .	75	5 00	
“ “ collected . . . . .	60	3 00	25 00
<i>Hudsonia ericoides</i> , collected . . . . .	60	2 00	15 00
“ <i>tomentosa</i> , collected . . . . .	60	2 50	20 00
<i>Iva frutescens</i> , collected . . . . .	60	3 00	25 00
<i>Itea Virginica</i> , 2—3 ft. . . . .	75	4 00	
“ “ 1—2 ft. . . . .	60	3 00	
“ “ collected . . . . .	50	2 50	
<i>Halesia tetraptera</i> , 4—6 ft. . . . .	1 25		
<i>Ilex glabra</i> , 6—12 in., collected . . . . .	60	3 00	20 00
“ “ 1 ft., with ball, collected . . . . .	3 00	17 00	
“ “ 2—3 ft., with ball, collected . . . . .	6 00	40 00	
“ <i>opaca</i> , 1—2 ft., trans., leaves removed . . . . .	1 50	10 00	
“ “ collected, leaves removed . . . . .	75	4 00	35 00
“ <i>verticillata</i> , collected . . . . .	85	4 00	30 00
<i>Juniperus Virginiana</i> , collected . . . . .	50	2 00	15 00
“ <i>communis</i> , collected . . . . .	75	4 00	

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Kalmia latifolia</i> , 6—12 in., collected . . . . .	60	2 50	15 00
“ “ 1—2 ft., bushy, trans. . . . .	3 00		
“ “ col., 2 ft., bushy, with ball . . . . .	2 50	20 00	
Special terms on carload lots of this grade, of which we have an exceptionally fine lot.			
<i>Kalmia augustifolia</i> , collected . . . . .	60	2 00	15 00
“ “ bushy, collected . . . . .	1 25	5 00	
“ “ trans., 1—2 ft. . . . .	1 50		
“ <i>glauca</i> , 12—15 in. . . . .	1 00	6 00	
“ “ 6—12 in. . . . .	60	4 00	
<i>Leiophyllum buxifolium</i> , collected . . . . .	60	2 00	15 00
<i>Ligustrum ovalifolium</i> (California Privet), 3—4 ft. . . . .	75	3 50	
“ “ “ “ 2—3 ft. . . . .	60	3 00	
“ <i>Ibota</i> . . . . .	75		
<i>Liquidambar styraciflua</i> , 2—3 ft. . . . .	75	4 00	
“ “ collected . . . . .	60	2 00	15 00
<i>Liriodendron tulipifera</i> , 6—8 ft. . . . .	3 00	18 00	
“ “ 5—6 ft. . . . .	2 00	12 00	
<i>Lycium vulgare</i> . . . . .	60	2 50	20 00
<i>Lonicera Halleana</i> , 2 years, strong . . . . .	75	3 50	25 00
“ <i>brachypoda</i> , collected . . . . .	60	3 00	25 00
“ <i>fragrantissima</i> , 2—3 ft. . . . .	50		
<i>Lindera benzoin</i> , 12—18 in. . . . .	80	5 00	
“ “ collected . . . . .	60	3 00	25 00
<i>Ledum latifolium</i> , 12—15 in., bushy . . . . .	1 50	8 00	
“ “ 6—12 in. . . . .	75	4 00	
<i>Leucothoe Catesbeii</i> , 6—12 in. . . . .	1 00	6 00	
<i>Magnolia glauca</i> , 8—12 in. . . . .	80	4 00	
“ “ collected . . . . .	75	3 00	25 00
<i>Myrica cerifera</i> , 2—4 ft., bushy . . . . .	1 75	10 00	
“ “ 1—2 ft., bushy . . . . .	1 00	6 00	
“ “ collected seedlings . . . . .	75	3 50	30 00
“ “ layers . . . . .	60	2 00	15 00
“ <i>gale</i> , 12—15 in. . . . .	80	5 00	
“ “ collected . . . . .	75	3 50	30 00
<i>Menispermum Canadense</i> , collected . . . . .	60	2 50	20 00
<i>Nyssa multiflora</i> , 1 year seedlings . . . . .	60	3 00	
<i>Ostrya Virginica</i> . . . . .	1 25	7 50	
“ “ collected . . . . .	75	4 50	40 00
<i>Prunus maritima</i> , nursery grown seedlings . . . . .	75	3 50	30 00
“ “ collected . . . . .	60	3 00	20 00
“ <i>serotina</i> , collected . . . . .	60	3 00	20 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Prunus Virginiana</i> , collected . . . . .	60	3 00	25 00
“ <i>pumila</i> . . . . .	1 25		
“ “ collected . . . . .	1 00	5 00	
<i>Pyrus arbutifolia</i> , 1—2 ft., trans. . . . .	75	3 50	30 00
“ “ collected, fine plants . . . . .	60	2 00	18 00
“ “ <i>Brilliantissima</i> , 1½—3 ft. . . . .	2 00	10 00	
“ <i>melanocarpa</i> (black-fruited) a beautiful prostrate form . . . . .	75	3 50	30 00
“ “ collected . . . . .	60	2 00	18 00
<i>Platanus orientalis</i> , 4—5 ft. . . . .	1 00	7 00	
<i>Potentilla fruticosa</i> , 1—2 ft. . . . .	60	3 00	
<i>Phelodendron amurense</i> , 1½ to 2 ft. . . . .	1 00		
<i>Photinia villosa</i> , 1 to 2 ft. . . . .	1 00		
<i>Rhus</i> , <i>copallina</i> , 2—3 ft., trans. . . . .	80	3 50	
“ “ collected . . . . .	50	2 00	15 00
“ <i>glabra</i> , 2—3 ft. . . . .	1 00		
“ “ collected . . . . .	75	3 00	
“ <i>typhina</i> , collected . . . . .	75	2 50	20 00
<i>Robinia hispida</i> , collected . . . . .	60	3 00	25 00
<i>Rubus odoratus</i> . . . . .	75	3 00	
“ “ collected . . . . .	50	2 00	15 00
“ <i>hispidus</i> . . . . .	75	2 00	
“ “ collected . . . . .	50	1 50	7 50
“ <i>Canadensis</i> , collected . . . . .	50	1 50	10 00
“ <i>cuneifolius</i> , collected . . . . .	50	2 00	15 00
<i>Rosa rugosa</i> , 2—3 ft., XX . . . . .	1 50	8 00	
“ <i>Carolina</i> . . . . .	75	3 00	
“ “ collected . . . . .	60	2 00	18 00
“ <i>lucida</i> (true) . . . . .	75	4 00	
“ “ collected . . . . .	50	2 50	20 00
“ <i>nitida</i> . . . . .	1 25	7 00	
“ <i>Blanda</i> . . . . .	80	5 00	
“ <i>setigera</i> . . . . .	1 25	7 00	
<i>Ribes Floridum</i> . . . . .	1 00		
<i>Rhododendron maximum</i> , 2 years, trans. . . . .	1 50	8 00	
“ “ collected seedlings, 6—12 in. . . . .	75	2 00	18 00
<i>Symphoricarpus vulgaris</i> , 2—3 ft. . . . .	75	2 00	20 00
“ <i>racemosa</i> , 2—3 ft. . . . .	75	3 50	30 00
<i>Sambucus Canadensis</i> , 3—4 ft. . . . .	80	5 00	
“ <i>racemosus</i> , collected . . . . .	75	4 00	
<i>Spiraea tomentosa</i> , 2—3 ft., trans. . . . .	75	2 50	20 00
“ “ collected . . . . .	60	2 00	15 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Spiraea tomentosa alba</i> . . . . .	75	3 50	
“ <i>salicifolia</i> . . . . .	75	3 50	
<i>Spiraea opulifolia</i> . . . . .	75		
<i>Staphylea trifolia</i> , collected . . . . .	60	3 00	25 00
<i>Sassafras officinalis</i> , 2—3 ft., trans., bushy . . . .	1 00	5 00	
“ “ collected . . . . .	50	3 00	25 00
<i>Smilax rotundifolia</i> , collected . . . . .	60	3 00	25 00
“ <i>Walterii</i> , collected . . . . .	1 00	6 00	
<i>Salix Britzensis</i> , 2 years . . . . .	60	3 00	
<i>Tecoma radicans</i> . . . . .	50	2 50	20 00
<i>Vaccinium corymbosum</i> , 2—3 ft., 2 years, trans.	80	5 00	
“ “ collected . . . . .	60	3 00	25 00
“ <i>Pennsylvanicum</i> , collected . . . . .	60	3 00	25 00
“ <i>vacillans</i> , collected . . . . .	60	2 00	15 00
“ <i>stamineum</i> , 8—12 in. . . . .	80		
“ “ collected . . . . .	75	4 00	30 00
“ <i>macrocarpon</i> , collected . . . . .	50	1 50	10 00
<i>Viburnum, acerifolium</i> . . . . .	1 00		
“ “ collected . . . . .	60	3 00	25 00
“ <i>dentatum</i> , 2—3 ft. . . . .	1 00	6 00	
“ “ 1½—2 ft. . . . .	75	5 00	
“ “ collected . . . . .	60	3 50	30 00
“ <i>prunifolium</i> , 1—2 ft. . . . .	1 25		
“ “ collected . . . . .	80	5 00	40 00
“ <i>cassinoides</i> . . . . .	75		
“ “ collected . . . . .	60	3 50	30 00
“ <i>tomentosum</i> , 2—3 ft. . . . .	1 25		
“ <i>nudum</i> , 1½—3 ft. . . . .	80	5 00	
“ “ collected . . . . .	60	3 00	25 00
<i>Xanthoxylum Americanum</i> . . . . .	80		
“ “ collected . . . . .	75	4 00	30 00

All plants in this list are nursery-grown unless otherwise specified.

## Coniferous Evergreens.


---

	Per doz.	100	1,000
Norway Spruce, 12—18 in. . . . .	75	4 00	
Colorado Blue Spruce (seedlings) 10—12 in. . . . .	2 25		
Douglas Fir, 10—12 in. . . . .	1 25		
Dwarf Arbor Vitae, 12—18 in. . . . .	3 50		
Douglas Golden Juniper, 10—12 in. . . . .	1 25	8 00	
Blue Fir (picea concolor) 10—12 in. . . . .	2 25		
Pinus rigida, collected seedlings . . . . .	50	1 50	12 00
“ mitis, collected seedlings . . . . .	50	3 00	
“ inops, collected seedlings . . . . .	75		

---

All plants in this list are nursery-grown unless otherwise specified.





ANDROMEDA  
CALYCVLATA